

FLUID & LUBRICATION PRODUCTS



Distributed by:



CISCAR

Waste Oil Equipment



Combined Waste Oil Suction & Gravity Collection Unit - with transparent chamber

Units with a 10 litre transparent chamber that can be used as a vacuum reservoir and allows an immediate inspection of the extracted waste oil. Can be used remotely once vacuum is created inside the steel reservoir. Discharge through a 1.5 m discharge hose pressurising the unit.

372000 - 100 Litre Capacity

373000 - 70 Litre Capacity

Combined Waste Oil Suction & Gravity Collection Unit

Can be used remotely once vacuum is created inside the steel reservoir. Discharge is done through a 1.5 m discharge hose pressurising the unit.

372500 - 100 Litre Capacity

373500 - 70 Litre Capacity



Gravity Collection with Pressure Discharge

Discharge is done through a 1.5 m hose pressurising the unit at 0.5 bar (3.5 psi).

372400 - 100 Litre Capacity

373400 - 70 Litre Capacity

Gravity Collection with Pump Discharge

Discharge is done through a 1:1 pressure ratio pneumatic pump attached to the back of the unit reservoir and 1.5 m hose with hydraulic type coupler.

372200 - 100 Litre Capacity

373200 - 70 Litre Capacity





SAMOA

LEADING THROUGH INNOVATION

**SAMOA Ltd
Asturias House
Barrs Fold Road
Wingates Industrial Park
Westhoughton
BL5 3XP**

Tel: 01942 850600

©SAMOA Ltd - UK

Images for illustration purposes only.

Product specifications are subject to change without prior notice.